

• FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE O P E R A T I O N INFORMATION DISCLOSURE STATEMENT BY APPLICANT (USE SEVERAL SHEETS IF NECESSARY)			ATTY. DOCKET NO. CALTE.015A	APPLICATION NO. 10/601,305
			APPLICANT Anderson et al.	
			FILING DATE June 19, 2003	GROUP 1848

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
LY	1	5,681,860	10/28/97	Fisher et al.			

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
LY	2	WO 01/16159	03/08/01	PCT				
LY	3	WO 01/19983	03/22/01	PCT				
LY	4	WO 01/36471	05/25/01	PCT				
LY	5	WO 01/48015	07/05/01	PCT				
LY	6	WO 01/48189	07/05/01	PCT/JP				
LY	7	WO 01/72838	10/04/01	PCT				
LY	8	WO 01/85791	11/15/01	PCT				
LY	9	WO 01/98351	12/27/01	PCT				
LY	10	WO 01/36473	05/25/01	PCT				

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
LY	11	Kotani et al., "The Metastasis Suppressor Gene KiSS-1 Encodes Kisspeptins, the Natural Ligands of the Orphan G Protein-coupled Receptor GRP54," The Journal of Biological Chemistry, Vol. 276, No. 37, pp. 34631-34626, (2001)
LY	12	Andalib et al., "Correlation of lung colonization ability of Melanoma cell lines in SCID mice with MHC class 1 and ICAM-1 expression," Int J. Med Sci, 23(1&2): 53; (1998)
LY	13	Bagi, "Cancer cell metastases," J Musculoskel Neuron Interact; 2(6): 565-566 (2002)
LY	14	Satyamoorthy et al., "Insulin-like growth factor-I-induced migration of melanoma cells is mediated by Interleukin-8 induction," Cell Growth and Differentiation; Vol 13, pp. 87-93, (2002)
LY	15	Dong et al., "A Diverse Family of GPCRs Expressed in Specific Subsets of Nociceptive Sensory Neurons," Cell 106, pp. 619-632 (2001)
LY	16	Han et al., "Orphan G protein-coupled receptors MrgA1 and MrgC11 are distinctively activated by RF-amide-related peptides through the $\text{G}\alpha_{q/11}$ pathway," Proc. Natl. Acad. Sci. USA 99, pp. 14740-14745, (2002)
LY	17	Ohtaki et al., "Metastasis suppressor gene KiSS-1 encodes peptide ligand of a G-protein-coupled receptor," Nature 411, pp. 613-617 (2001)
LY	18	Hsu et al., "Melanoma: The Wistar Melanoma (WM) Cell Line," Human Cell Culture, Vol. 1, pp. 259-274 (1999)
LY	19	Hori et al., "Metastin Suppresses the Motility and Growth of CHO Cells Transfected with Its Receptor," Biochem. Biophys. Res. Comm., Vol. 286, pp. 958-963 (2001)

W:\DOCS\ANMANM-6444.DOC 011604

EXAMINER	/Lei Yao/	DATE CONSIDERED	08/31/2006
*EXAMINER: INITIAL IF CITATION CONSIDERED. WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.			